

PRICE LIST 2026

CONTENTS

CFM SERIES COMPACT FLAIL	05
FM SERIES FLAIL MOWER	06
CPC SERIES PTO COLLECTOR	80
RM SERIES ROTARY MOWER	10
TS600 TRAILED STRIMMER	11
W240 ATV WEED WIPER	12
T240 TRACTOR WEED WIPER	14
FR150 FIELD ROLLER	15
PC SERIES PADDOCK CLEANER	16
PC120E ELECTRIC SWEEPER	17
AH200 ARENA HARROW	18

	TH200 TINE HARROW	19
	MG250 ARENA LEVELLER	20
	BT500 BALE TRANSPORTER	21
	TF350 STOCK FEEDER	22
4	MF350 MOUNTED FEEDER	23
9	TGF350 GAME FEEDER	24
S. S.	MGF350 MOUNTED GAME	25
W.	DT100 TIPPING TRAILER	26
000	FT100 FLATBED TIPPER	27
	ST150 STOCK TRAILER	28
0	LT150 LOW SIDED TRAILER	29

WHY CHOOSE CHAPMAN?

Founded in 2010, we're one of the newer manufacturers in the machinery world. We often get asked by potential customers why we think our machinery is better than the existing providers, so here are a few reasons why we're great to deal with.



2 YEAR WARRANTY

To get to number 1 we strive to produce high quality machinery, and stand by it with an industry leading 2 year warranty



MANUFACTURED IN GREAT BRITAIN

We are certified Made In Britain members and all of our products are proudly manufactured and hand built at our base in Devon, UK.



WE INNOVATE

We proudly design each and every one of our machines to feature innovative, unique features, to give you the best user experience.

CFM COMPACT FLAIL



MODEL	DESCRIPTION	RET	AIL
CFM150	Standard Specification: - 1.5m Cut - 370kg - 25-70hp Rating - 22 Hammer Flails - 0-350mm Hydraulic Offset - 25-100mm Cutting Height - Suitable for CAT 1 & 2 Hitches - 2200 RPM Rotor Speed - Triple B Belt Drive - Rear Roller	£3500	€3850
CFM180	Standard Specification: - 1.8m Cut - 400kg - 25-70hp Rating - 28 Hammer Flails - 0-350mm Hydraulic Offset - 25-100mm Cutting Height - Suitable for CAT 1 & 2 Hitches - 2200 RPM Rotor Speed - Triple B Belt Drive - Rear Roller	£3700	€4050
COMMODITY CODE: 8433201000			



MODEL	DESCRIPTION	RETAIL	
FM120	Standard Specification: - 1.2m Cut Width - 21hp Honda V Twin - Electric Start - 22x11x8" Tyres - Steel Y Flails - Centrifugal Clutch - Strenx® Cutting Deck - 15 Litre Fuel Tank	£5150	€5700
FM150	As above with; - 1.5m Cut Width	£5350	€5900
	AVAILABLE OPTIONS		
+BB	Breaker Bar to deflect vegetation	+£120	+€130
+TA	Twin axle setup for rough terrain and reduced ground pressure	+£700	+€750
+HF	Hardened Hammer Flails to replace standard Y flails	+£400	+€425
+CB	Cutter bar to increase mulching	+£120	+€130
+JW	Jockey Wheel (For wheels trailing)	+£80	+€90
COMMODITY CODE: 8433201000			

FM PRO FLAIL MOWER

MODEL	DESCRIPTION	RETAIL	
FM120 PRO	Standard Specification: - 1.2m Cut - 25hp Honda Fuel Injected V Twin - Electric Start - 22x11x8" Tyres - Hardened Hammer Flails - Double Fly Weight Clutch - Wireless SmartCut Engine Controls - Strenx® Cutting Deck - 15 Litre Fuel Tank	£6550	€7100
FM150	As above with; - 1.5m Cut Width	£6750	€7300
	AVAILABLE OPTIONS		
+BB	Breaker Bar to deflect vegetation such as reeds, rushes etc	+£120	+€130
+TA	Twin axle setup for rough terrain and reduced ground pressure	+£700	+€750
+CB	Cutter bar to increase mulching and decrease chop size	+£120	+€130
+JW	Jockey Wheel (For wheels trailing)	+£80	+€90
COMMODITY CODE: 8433201000			

CPC BRUSH COLLECTOR

MODEL	DESCRIPTION	RET	AIL
CPC150-S	Standard Specification: - 1.5mWorking Width - 735kg Weight - 18-70hp Power Rating - Overrun clutch - 4 Rows of Brushes - 1750L Hopper Capacity - High Tip Hopper (1.3m) - Suitable for CAT 1 & 2 Hitches - Triple B Belt Drive - Height Adjustable Castor Wheels - Adjustable Anti Scalping Skids - Adjustable Front Tine Bar - Turf Tyres 20x12-10 inch - Wide angled PTO Shaft as standard	£9750	€11,150
CPC180-S	As above with following additions: - 1.8mWorking Width - 855kg - 2100L Hopper Capacity	£10,750	€12,150
COMMODITY CODE: 8433201000			

CPC FLAIL COLLECTOR

		•	
MODEL	DESCRIPTION	RETAIL	
CPC150-F	Standard Specification: - 1.5mWorking Width - 765kg Weight - 18-70hp Power Rating - Overrun clutch - 22 Hammer Flails - 1750L Hopper Capacity - High Tip Hopper (1.3m) - 15-60mm Cutting Height - Suitable for CAT 1 & 2 Hitches - 1620 RPM Rotor Speed - Triple B Belt Drive - Height Adjustable Castor Wheels - Adjustable Anti Scalping Skids - Turf Tyres 20x12-10 inch - Wide angled PTO Shaft as standard	£10,200	€11,700
CPC180-F	As above with following additions: - 1.8mWorking Width - 885kg - 26 Hammer Flails -2100L Hopper Capacity	£11,500	€12,900
	AVAILABLE OPTIONS		
+SF	Scarifier upgrade to replace hammer flails for 'Y' flails with scarifier attachment.	+£200	+€250
COMMODITY CODE: 8433201000			
All princes and all provides and the latest and the			

RM ROTARY MOWERS



MODEL	DESCRIPTION	RETAIL	
RM120	Standard Specification: - 1.2m Cut - 13hp Honda Engine - Recoil Start - Triple Rotor - 18x6.5x8" Tyres	£3390	€3700
RM150	Standard Specification: - 1.5m Cut - 13hp Honda Engine - Recoil Start - Triple Rotor - 18x6.5x8" Tyres	£3590	€3900
	AVAILABLE OPTIONS		
+ES	Electric Start	+£500	+€550
COMMODITY CODE: 8433201000			

TS600 ATV STRIMMER

MODEL	DESCRIPTION	RET	AIL
TS600	Standard Specification: - 735mm Cutting Width - 50-250mm Cutting Height - 13hp Honda Engine - Recoil Start - Remote Throttle - Offset draw bar - Twin 600mm Cutting Heads - 4.quick change nylon brush-cutter blades - 16x6x8" Tyres	£3700	€4100
	AVAILABLE OPTIONS		
+ES	Electric Start	+£500	+€550
+PRO	Professional Series to include metal swing-tip cutting blades for increased performance	+£500	+€550
COMMODITY CODE: 8433201000			

WEED WIPER CARPET



MODEL	DESCRIPTION	RETAIL	
W240	Standard Specification: - 2.4m Working width - Electric Drive - 60L Mounted Tank - Spot Lance - Electronic Controls - 18x6.5x8" Tyres - Carpet Applicator	£3000	€3300
W480	Standard Specification: - 4.8m Working width (2 x 2.4m machines with extended draw-bar attachment for second machine) - Electric Drive - 60L Mounted Tank - 15lpm Pump - Spot Lance - Electronic Controls - 18x6.5x8" Tyres - Carpet Applicator	£5750	€6300
	AVAILABLE OPTIONS		
+CA	Additional control box c/w mounting plate & wiring for additional vehicle	+£400	+€440
COMMODITY CODE: 8424491000			

WEED WIPER BRUSH



MODEL	DESCRIPTION	RETAIL	
W240+BR	Standard Specification: - 2.4m Working width - Electric Drive - 60L Mounted Tank - Spot Lance - Electronic Controls - 18x6.5x8" Tyres - Tampico brush applicator for a more precise application	£3980	€4380
W480+BR	Standard Specification: - 4.8m Working width (2 x 2.4m machines with extended draw-bar attachment for second machine) - Electric Drive - 60L Mounted Tank - 15lpm Pump - Spot Lance - Electronic Controls - 18x6.5x8" Tyres - Tampico brush applicator for a more precise application	£7500	€8200
	AVAILABLE OPTIONS		
+CA	Additional control box c/w mounting plate & wiring for additional vehicle	+£400	+€440
COMMODITY CODE: 8424491000			

T240 TRACTOR WIPER



MODEL	DESCRIPTION	RETAIL	
T240	Standard Specification: - 2.4m Working width - Electric Drive - 60L Mounted Tank - Spot Lance - Electronic Controls - CAT 1 & 2 Linkage Compatible - Carpet Applicator	£3250	€3550
T240+BR	Standard Specification: - 2.4m Working width - Electric Drive - 60L Mounted Tank - Spot Lance - Electronic Controls - CAT 1 & 2 Linkage Compatible - Tampico brush applicator for a more precise application	£4230	€4630
	AVAILABLE OPTIONS		
+CA	Additional control box c/w mounting plate & wiring for additional vehicle	+£400	+€440
COMMODITY CODE: 8424491000			

FR150 FIELD ROLLER



MODEL	DESCRIPTION	RETAIL	
FR150	Standard Specification: - 1.5m working width - Empty Weight: 205kg - Filled Weight: 500kg - 50mm Ball Coupling - Powder Coated Finish - Rear Scraper Bar	£1300	€1420
	AVAILABLE OPTIONS		
+PH	Additional Pin Hitch	+£50	+€60
COMMODITY CODE: 8432800000			

NB: Recommended minimum quantity of 2 units - additional delivery surcharge may apply to single unit orders.

PC SERIES COLLECTOR



MODEL	DESCRIPTION	RETAIL	
PC120	Standard Specification: - 1.2m working width - 6.5hp Honda Engine - Electric Start - 550L (approx) hopper - Electric hopper tip - 18x6.5x8" Tyres - Adjustable front tine bar - Centrifugal clutch - 4 Rows of High Quality Brushes - Control Box	£5780	€6330
PC150	Standard Specification: - 1.5m working width - 6.5hp Honda Engine - Electric Start - 700L (approx) hopper - Electric hopper tip - 18x6.5x8" Tyres - Adjustable front tine bar - Centrifugal clutch - 4 Rows of High Quality Brushes - Control Box	£6080	€6630
	AVAILABLE OPTIONS		
+RT	1.8m Remote throttle for use behind a Quad Bike	+£60	+€70
COMMODITY CODE: 8433520000			

PC120E BATTERY POWERED

MODEL	DESCRIPTION	RETAIL	
PC120E	Standard Specification: - 1.2m working width - eGX Electric Honda Engine - Battery Powered (PowerPack Included) - Fast Charger - 550L (approx) hopper - Manual Winch - 18x6.5x8" Tyres - Adjustable front tine bar - 4 Rows of High Quality Brushes	£5950	€6500
PC150E	Standard Specification: - 1.5m working width - eGX Electric Honda Engine - Battery Powered (PowerPack Included) - Fast Charger - 700L (approx) hopper - Manual Winch - 18x6.5x8" Tyres - Adjustable front tine bar - 4 Rows of High Quality Brushes	£6350	€6950
	AVAILABLE OPTIONS		
+AB	Additional Battery	+£825	+€910
COMMODITY CODE: 8433520000			

AH200 ARENA HARROW

MODEL	DESCRIPTION	RETAIL	
AH200	Standard Specification: - 2m Working Width - Heavy Duty Steel Frame - 18x6.5x8" Tyres - 40 Spring Tines - Electric lift & control box - 3 position tine adjustment - Rear Consolidation Roller - 6 Front Mounted 'S' Tines	£3340	€3640
COMMODITY CODE: 8432291000			

TH200 TINE HARROW



MODEL	DESCRIPTION	RETAIL	
TH200	Standard Specification: - 2m Working Width - Heavy Duty Steel Frame - 18x6.5x8" Tyres - 40 Spring Tines - Electric lift & control box - 3 position tine adjustment	£2840	€3140
	COMMODITY CODE: 843229	1000	



MODEL	DESCRIPTION	RETAIL	
MG250	Standard Specification: - 2.3m Working Width - Hot Dip Galvanised - 22x11x8" Tyres - 14 Spring Tines - Rear Consolidation Roller for wax and fibre stabilised surfaces	£2300	€2525
	AVAILABLE OPTIONS		
+3P	3 Point Linkage Mounted Version	+£225	+€250
COMMODITY CODE: 8432291000			

BT500 BALETRANSPORTER

MODEL	DESCRIPTION	RETAIL	
BT500	Standard Specification: - Twin Pivoting Axle - Electric Winch - Wireless Remote - 1.5m (5') Max Bale Diameter - 900kg Max Bale Weight - Galvanised - Foot operated release	£2650	€2900
	AVAILABLE OPTIONS		
+OB	On board battery option for conversion into self powered machine. Comes with machine mounted charge level indicator & charger.	+£300	+€300
COMMODITY CODE: 8433300000			

TF350 TRAILED FEEDER



MODEL	DESCRIPTION	RETAIL	
TF350	Standard Specification: - 350L Capacity (approx) - Mudguards - PVC Tonneau Cover - 22x11x8" Tyres - Electronic Counter	£2550	€2800
	AVAILABLE OPTIONS		
+OT	25x13x9" oversize tyres in place of standard 22x11x8"	+£220	+€240
+TA	Twin axle in place of standard axles, c/w mudguards	+£700	+€780
+ES	Extension sides to increase capacity by 250L (approx)	+£150	+€160
+NB	Nudge Bar to deflect livestock	+£100	+€110
+RL	Road IVA Legal Version, LED Lights, 20.5x8x10" tyres & suspension axles.	+£700	N/A
+CA	Additional Control Box incl. wiring	+£400	+€440
COMMODITY CODE: 8423892000			

MF350 MOUNTED FEEDER

MODEL	DESCRIPTION	RETAIL	
MF350	Standard Specification: - Designed for UTV Bed Mounting - 350L Capacity (approx) - PVC Tonneau Cover - Electronic Counter - Adjustable Discharge Chute	£2150	€2365
	AVAILABLE OPTIONS		
+CA	Additional Control Box c/w wiring & mounting plates	+£400	+€440
+ES	Extension sides to increase capacity by 250L (approx) * Not suitable for UTVs - 4x4 only	+£150	+€160
COMMODITY CODE: 8423892000			

TGF350 GAME FEEDER



MODEL	DESCRIPTION	RETAIL	
TGF350	Standard Specification: - 350L Capacity (approx) - Variable spread width - Feed Shutter - Control Box - Heavy Duty, High Torque Motor - Direct Drive - Variable Vane Spinner	£3630	€3990
AVAILABLE OPTIONS			
+CA	Additional Control Box c/w wiring & mounting plates	+£400	+€440
+ES	Extension sides to increase capacity by 250L (approx)	+£150	+€160
+OT	25x13x9" oversize tyres in place of standard 22x11x8"	+£220	+€240
+RL	Road Legal Version c/w LED Lights, 20.5x8x10" tyres, suspension axles. Fully IVA road approved.	+£700	N/A
COMMODITY CODE: 8436809000			

MGF350 MOUNTED GAME

MODEL	DESCRIPTION	RETAIL	
MGF350	Standard Specification: - 350L Capacity (approx) - Easy loading with fork lift - Variable spread width - Feed Shutter - Control Box - Heavy Duty, High Torque Motor - Direct Drive - Variable Vane Spinner - Fits all popular UTVs	£2950	€3245
	AVAILABLE OPTIONS		
+CA	Additional Control Box c/w wiring & mounting plates	+£400	+€440
+ES	Extension sides to increase capacity by 250L (approx) * Not suitable for UTVs - 4x4 only	+£150	+€160
COMMODITY CODE: 8436809000			

DT100 TIPPING TRAILER



MODEL	DESCRIPTION	RETAIL	
DT100	Standard Specification: - Hydraulic Double Acting Power Pack - On-board Battery with charge level indicator - Galvanised Finish - Auto Un/Latching Tailgate - Max Weight (Laden) 1400kg - Volume (heaped) 1.7M^3 - Pump Capacity 4.5 L @ 160 Bar - Tipping Angle of 50° - 4 x large 22x11x8" tyres - Inclusive battery charger	£3720	€4090
DTC100	As above with: - Hydraulic Power Pack Removed For use with Compact Tractors - Long reach hoses	£3320	€3650
	AVAILABLE OPTIONS		
+LK	Lighting Kit (Not for highway use)	+£250	+€250
+WR	Wireless Remote Kit	+£200	+€210
+ES	Extension Side Kit To Increase Bed Height by 300mm	+£250	+€300
COMMODITY CODE: 8430690000			



MODEL	DESCRIPTION	RETAIL		
FT100	Standard Specification: - Hydraulic Double Acting Power Pack - On-board Battery with charge level indicator (incl. charger) - Galvanised Finish - Drop down & Removable Tailgate & Sides - Integrated Steel Floor - Max Weight (Laden) 1400kg - Volume (heaped) 1.7M^3 - Pump Capacity 4.5 L @ 160 Bar - Tipping Angle of 50° - 4 x large 22x11x8" tyres	£3720	€4090	
FTC100	As above with: - Hydraulic Power Pack Removed For use with Compact Tractors - Long reach hoses	£3320	€3650	
AVAILABLE OPTIONS				
+LK	Lighting Kit (Not for highway use)	+£250	+€250	
+WR	Wireless Remote Kit	+£200	+€210	
+ES	Extension Side Kit To Increase Bed Height by 300mm	+£350	+€400	
COMMODITY CODE: 8430690000				

ST150 OFF ROAD TRAILER



MODEL	DESCRIPTION	RETAIL		
ST150	Standard Specification: - 1.53m x 1.02m (5' x 3'3") internal dimensions - Solid folded steel sides with laser cut perforations - Ramp tailgate with integral door - 22x11x8" Tyres - Swivel Drawbar - Aluminium Tread-plate Floor	£1250	€1375	
AVAILABLE OPTIONS				
+MG	Mudguards (Standard Wheels Only)	+£150	+€160	
+LP	Lamb Partition	+£120	+€130	
+SD	Swinging Door Tailgate to replace Ramp Tailgate	+£100	+€110	
+OT	25x13x9" Oversize tyres	+£220	+€240	
COMMODITY CODE: 8430690000				



MODEL	DESCRIPTION	RETAIL		
LT150	Standard Specification: - L 1.54m x W 1.02m x H 0.47m (5' x 3'3") internal dimensions - Solid folded steel sides - Drop Tailgate - 22x11x8" Tyres - Swivel Drawbar - Fully Galvanised - Aluminium Tread-plate Floor	£1180	€1300	
AVAILABLE OPTIONS				
+MG	Mudguards (Standard Wheels Only)	+£150	+€160	
+RT	Ramp Tailgate	+£80	+€90	
+OT	25x13x9" Oversize tyres	+£220	+€240	
COMMODITY CODE: 8430690000				

NB: Recommended minimum quantity of 2 units - additional delivery surcharge may apply to single unit orders.

PARTS



Need a spare part? We can supply spare parts for all Chapman machines, many available from stock ready for immediate dispatch. You can find the required part number on the product parts drawing in the relevant product download section of our website www.chapman.co.uk.

You can order spare parts direct from www.chapman.co.uk/spares or via your local distributor. Alternatively, you can contact us direct on the details below during office hours of 8-5pm Mon-Thurs, 8-2:30pm Friday

E: sales@chapman.co.uk **T:** 01288 308 149

PRICES

All prices are exclusive of applicable taxes / VAT. Whilst we will endeavour to hold these prices, we reserve the right to change specification and pricing without prior notice in line with unforeseen movement in exchange rates, supplier component price rises, inward / outward tariffs etc. Delivery is included for machine orders within Mainland UK and Ireland, although some areas (for example Scottish Islands) may incur delivery surcharges. Risk passes upon delivery, title for goods remains with Chapman Machinery Ltd until such time as cleared payment is received in full. Trade pricing is given in accordance with our Dealer Sales Terms, and by purchasing parts or products at Trade Pricing you are agreeing to be bound by these terms. Breaches of these terms may result in your trade account being suspended. UK orders must be made in pound sterling unless agreed otherwise in writing by Chapman Machinery Ltd.

NOTES



Chapman Machinery Ltd, Hele Barton, Week St. Mary, Holsworthy, Devon, UK, EX22 6XR

Tel: +44(0)1288 308149 Version 26UKEU

WWW.CHAPMAN.CO.UK

sales@chapman.co.uk