

EU PRICE LIST 2024

### **CONTENTS**

	CFM SERIES COMPACT FLAIL	05
	FM SERIES FLAIL MOWER	06
	CPC SERIES PTO COLLECTOR	80
	RM SERIES ROTARY MOWER	10
A Co-	TS600 TRAILED STRIMMER	11
	W240 ATV WEED WIPER	12
	T240 TRACTOR WEED WIPER	13
	PC SERIES PADDOCK CLEANER	14
	PC120E ELECTRIC SWEEPER	15
The state of the s	AH200 ARENA HARROW	16
	TH200 TINE HARROW	17

MG250 ARENA LEVELLER	18
FR150 FIELD ROLLER	19
TF350 STOCK FEEDER	20
MF350 MOUNTED FEEDER	21
TGF350 GAME FEEDER	22
MGF350 MOUNTED GAME	23
DT100 TIPPING TRAILER	24
FT100 FLATBED TIPPER	25
ST & LT STOCK TRAILERS	26
HT100 UTILITY TRAILER	28
BT500 BALE TRANSPORTER	29

#### WHY CHOOSE CHAPMAN?

Founded in 2010, we're one of the newer manufacturers in the machinery world. We often get asked by potential customers why we think our machinery is better than the existing providers, so here are a few reasons why we're great to deal with.



#### 2 YEAR WARRANTY

To get to number 1 we strive to produce high quality machinery, and stand by it with an industry leading 2 year warranty



### MANUFACTURED IN GREAT BRITAIN

We are certified Made In Britain members and all of our products are proudly manufactured and hand built at our base in Devon, UK.



#### **WE INNOVATE**

We proudly design each and every one of our machines to feature innovative, unique features, to give you the best user experience.

### **CFM** COMPACT FLAIL



MODEL	DESCRIPTION	RETAIL
CFM150	Standard Specification: - 1.5m Cut - 370kg - 25-50hp Rating - 22 Hammer Flails - 0-350mm Hydraulic Offset - 25-100mm Cutting Height - Suitable for CAT 1 & 2 Hitches - 2200 RPM Rotor Speed - Triple B Belt Drive - Rear Roller Inclusive	€3850
CFM180	Standard Specification: - 1.8m Cut - 400kg - 25-50hp Rating - 28 Hammer Flails - 0-350mm Hydraulic Offset - 25-100mm Cutting Height - Suitable for CAT 1 & 2 Hitches - 2200 RPM Rotor Speed - Triple B Belt Drive - Rear Roller Inclusive	€4100
	COMMODITY CODE: 843320100	0

### FM120 FLAIL MOWER



MODEL	DESCRIPTION	RETAIL
FM120	Standard Specification: - 1.2m Cut - 21hp Honda V Twin - Electric Start - 22x11x8" Tyres - Steel Y Flails - Centrifugal Clutch	€5450
FM120 PRO	Upgrade to Pro Spec to include: - 25hp Honda Fuel Injected V Twin - Hardened Hammer Flails - Double Fly Weight Clutch - Oil Cooled	€6450
	AVAILABLE OPTIONS	
+BB	Breaker Bar to deflect vegetation such as reeds, rushes etc	+€130
+TA	Twin axle setup for rough terrain and reduced ground pressure	+€650
+CB	Cutter bar to increase mulching and decrease chop size	+€130
+JW	Jockey Wheel - recommended for wheels trailing	+€90
COMMODITY CODE: 8433201000		

### FM150 FLAIL MOWER



MODEL	DESCRIPTION	RETAIL
FM150	Standard Specification: - 1.5m Cut - 21hp Honda V Twin - Electric Start - 22x11x8" Tyres - Steel Y Flails - Centrifugal Clutch	€5650
FM150 PRO	Upgrade to Pro Spec to include: - 25hp Honda Fuel Injected V Twin - Hardened Hammer Flails - Double Fly Weight Clutch - Oil Cooled	€6650
	AVAILABLE OPTIONS	
+BB	Breaker Bar to deflect vegetation such as reeds, rushes etc	+€130
+TA	Twin axle setup for rough terrain and reduced ground pressure	+€650
+CB	Cutter bar to increase mulching and decrease chop size	+€130
+JW	Jockey Wheel - recommended for wheels trailing	+€90
COMMODITY CODE: 8433201000		

# CPC BRUSH COLLECTOR

MODEL	DESCRIPTION	RETAIL
CPC150-S	Standard Specification: - 1.5mWorking Width - 735kg Weight - 18-70hp Power Rating - Slip Clutch Gearbox Protection - 4 Rows of Brushes - 1750L Hopper Capacity - High Tip Hopper (1.3m) - Suitable for CAT 1 & 2 Hitches - Triple B Belt Drive - Height Adjustable Castor Wheels - Adjustable Anti Scalping Skids - Adjustable Front Tine Bar - Turf Tyres 20x12-10 inch	€РОА
CPC180-S	As above with following additions: - 1.8mWorking Width - 855kg - 2100L Hopper Capacity	€POA
COMMODITY CODE: 8433201000		

### CPC FLAIL COLLECTOR.

R	

MODEL	DESCRIPTION	RETAIL
CPC150-F	Standard Specification: - 1.5mWorking Width - 765kg Weight - 18-70hp Power Rating - Slip Clutch Gearbox Protection - 22 Hammer Flails - 1750L Hopper Capacity - High Tip Hopper (1.3m) - 15-60mm Cutting Height - Suitable for CAT 1 & 2 Hitches - 1620 RPM Rotor Speed - Triple B Belt Drive - Height Adjustable Castor Wheels - Adjustable Anti Scalping Skids - Turf Tyres 20x12-10 inch	€РОА
CPC180-F	As above with following additions: - 1.8mWorking Width - 855kg - 26 Hammer Flails -2100L Hopper Capacity	€POA
	AVAILABLE OPTIONS	
+SF	Scarifier Blade Upgrade	+€POA
COMMODITY CODE: 8433201000		

### RM ROTARY MOWERS



MODEL	DESCRIPTION	RETAIL
RM120	Standard Specification: - 1.2m Cut - 13hp Honda Engine - Recoil Start - Triple Rotor - 19x7x8" Tyres	€3520
RM150	Standard Specification: - 1.5m Cut - 13hp Honda Engine - Recoil Start - Triple Rotor - 19x7x8" Tyres	€3740
AVAILABLE OPTIONS		
+ES	Electric Start	+€550
COMMODITY CODE: 8433201000		

# TS600 ATV STRIMMER

MODEL	DESCRIPTION	RETAIL
TS600	Standard Specification: - 735mm Cutting Width - 50-250mm Cutting Height - 13hp Honda Engine - Recoil Start - Offset draw bar - Twin 600mm Cutting Heads - 4.5mm diameter quick change plastic brush-cutter blades - 16 x 6.54 R8" Tyres	€3950
	AVAILABLE OPTIONS	
+ES	Electric Start	+€550
+BL	10 x Packs of 40 Monofly Quick Change Blades	+€120
COMMODITY CODE: 8433201000		

### W240 WEED WIPER



MODEL	DESCRIPTION	RETAIL
W240	Standard Specification: - 2.4m Working width - Electric Drive - 60L Mounted Tank - Spot Lance - Electronic Controls - 19x7x8" Wheels - Carpet Applicator	€3180
AVAILABLE OPTIONS		
+BR	Upgrade applicator from carpet to brush for a more precise application	+€1000
+CA	Additional control box c/w mounting plate & wiring for additional vehicle	+€400
COMMODITY CODE: 8424491000		

### T240 TRACTOR WIPER



MODEL	DESCRIPTION	RETAIL
T240	Standard Specification: - 2.4m Working width - Electric Drive - 60L Mounted Tank - Spot Lance - Electronic Controls - 19x7x8" Wheels - Carpet Applicator	€3300
AVAILABLE OPTIONS		
+BR	Upgrade applicator from carpet to brush for a more precise application	+€1000
+CA	Additional control box c/w mounting plate & wiring for additional vehicle	+€400
COMMODITY CODE: 8424491000		

#### **PC SERIES** COLLECTOR



MODEL	DESCRIPTION	RETAIL
PC120	Standard Specification: - 1.2m working width - 6.5hp Honda Engine - Electric Start - 550L (approx) hopper - Electric hopper emptying - 19x7x8" Wheels - Adjustable front tine bar - Centrifugal clutch - 4 Rows of High Quality Brushes - Control Box	€6000
PC150	Standard Specification: - 1.5m working width - 6.5hp Honda Engine - Electric Start - 700L (approx) hopper - Electric hopper emptying - 19x7x8" Wheels - Adjustable front tine bar - Centrifugal clutch - 4 Rows of High Quality Brushes - Control Box	€6300
AVAILABLE OPTIONS		
+RT	Remote throttle for use behind a Quad Bike	+€70
	COMMODITY CODE: 843352000	00



MODEL	DESCRIPTION	RETAIL
PC120E	Standard Specification: - 1.2m working width - eGX Electric Honda Engine - Battery Powered (PowerPack Included) - Fast Charger - 550L (approx) hopper - Manual Winch - 19x7x8" Wheels - Adjustable front tine bar - 4 Rows of High Quality Brushes	€7000
PC150E	Standard Specification: - 1.5m working width - eGX Electric Honda Engine - Battery Powered (PowerPack Included) - Fast Charger - 700L (approx) hopper - Manual Winch - 19x7x8" Wheels - Adjustable front tine bar - 4 Rows of High Quality Brushes	€7150
AVAILABLE OPTIONS		
+AB	Additional Battery	+€1500
COMMODITY CODE: 8433520000		



MODEL	DESCRIPTION	RETAIL
AH200	Standard Specification: - 2m Working Width - Heavy Duty Steel Frame - 19x7x8" Tyres - 40 Spring Tines - 12v Lifting Actuator - 3 position tine adjustment - Rear Consolidation Roller - 6 Front Mounted 'S' Tines	€3350
COMMODITY CODE: 8432291000		

### TH200 TINE HARROW



MODEL	DESCRIPTION	RETAIL
TH200	Standard Specification: - 2m Working Width - Heavy Duty Steel Frame - 19x7x8" Tyres - 40 Spring Tines - 12v Lifting Actuator - 3 position tine adjustment	€2925
COMMODITY CODE: 8432291000		

## MG250 ARENA LEVELLER

MODEL	DESCRIPTION	RETAIL
MG250	Standard Specification: - 2.3m Working Width - Hot Dip Galvanised - 22x11x8" Tyres - 14 Spring Tines - Rear Consolidation Roller for wax and fibre stabilised surfaces	€2525
AVAILABLE OPTIONS		
+3P	3 Point Linkage Mounted Version	+€250
COMMODITY CODE: 8432291000		

#### FR150 FIELD ROLLER



MODEL	DESCRIPTION	RETAIL
FR150	Standard Specification: - 1.5m working width - Empty Weight: 205kg - Filled Weight: 500kg - 50mm Ball Coupling - Powder Coated Finish	€1320
	AVAILABLE OPTIONS	
+PH	Additional Pin Hitch	+€60
COMMODITY CODE: 8432800000		

NB: Recommended minimum quantity of 2 units - additional delivery surcharge may apply to single unit orders.

## **TF350** TRAILED FEEDER



MODEL	DESCRIPTION	RETAIL
TF350	Standard Specification: - 350L Capacity (approx) - Mudguards - PVC Tonneau Cover - 22x11x8" Tyres - Electronic Counter	€2700
	AVAILABLE OPTIONS	
+OT	25x13x9" oversize tyres in place of standard 22x11x8"	+€240
+TA	Twin axle in place of standard axles, c/w mudguards	+€780
+ES	Extension sides to increase capacity by 250L (approx)	+€160
+NB	Nudge Bar to deflect livestock	+€110
+RL	Road IVA Legal Version, LED Lights, 20.5x8x10" tyres & suspension axles.	N/A
+CA	Additional Control Box incl. wiring	+€400
	COMMODITY CODE: 842389200	00

## MF350 MOUNTED FEEDER

MODEL	DESCRIPTION	RETAIL
MF350	Standard Specification: - Designed for UTV Bed Mounting - 350L Capacity (approx) - PVC Tonneau Cover - Electronic Counter - Adjustable Discharge Chute	€2250
	AVAILABLE OPTIONS	
+CA	Additional Control Box c/w wiring & mounting plates	+€400
+ES	Extension sides to increase capacity by 250L (approx)  * Not suitable for UTVs - 4x4 only	+€160
COMMODITY CODE: 8423892000		

## TGF350 GAME FEEDER



MODEL	DESCRIPTION	RETAIL	
TGF350	Standard Specification: - 350L Capacity (approx) - Variable spread width - Feed Shutter - Control Box - Heavy Duty, High Torque Motor - Direct Drive - Variable Vane Spinner	€3680	
	AVAILABLE OPTIONS		
+CA	Additional Control Box c/w wiring & mounting plates	+€400	
+ES	Extension sides to increase capacity by 250L (approx)	+€160	
+OT	25x13x9" oversize tyres in place of standard 22x11x8"	+€240	
+RL	Road Legal Version c/w LED Lights, 20.5x8x10" tyres, suspension axles. Fully IVA road approved.	N/A	
COMMODITY CODE: 8436809000			

# MGF350 MOUNTED GAME

MODEL	DESCRIPTION	RETAIL
MGF350	Standard Specification: - 350L Capacity (approx) - Easy loading with fork lift - Variable spread width - Feed Shutter - Control Box - Heavy Duty, High Torque Motor - Direct Drive - Variable Vane Spinner - Fits all popular UTVs	€3125
	AVAILABLE OPTIONS	
+CA	Additional Control Box c/w wiring & mounting plates	+€400
+ES	Extension sides to increase capacity by 250L (approx)  * Not suitable for UTVs - 4x4 only	+€160
COMMODITY CODE: 8436809000		

# DT100 TIPPING TRAILER



MODEL	DESCRIPTION	RETAIL
DT100	Standard Specification: - Hydraulic Power Pack - On-board Battery - Galvanised Finish - Auto Latching/Unlatching Tailgate - Max Weight (Laden) 1400kg - Volume (heaped) 1.7M^3 - Pump Capacity 4.5 L @ 160 Bar - Tipping Angle of 50° - 4 x large 22x11x8" tyres	€3800
DTC100	As above with: - Hydraulic Power Pack Removed For use with Compact Tractors - Long reach hoses	€3500
	AVAILABLE OPTIONS	
+LK	Lighting Kit (Not for highway use)	+€250
+WR	Wireless Remote Kit	+€210
+ES	Extension Side Kit To Increase Bed Height by 300mm	+€275
COMMODITY CODE: 8430690000		

# FT100 FLAT BED TRAILER



MODEL	DESCRIPTION	RETAIL
FT100	Standard Specification: - Hydraulic Power Pack - On-board Battery - Galvanised Finish - Drop down & Removable Tailgate & Sides - Integrated Steel Floor - Max Weight (Laden) 1400kg - Volume (heaped) 1.7M^3 - Pump Capacity 4.5 L @ 160 Bar - Tipping Angle of 50° - 4 x large 22x11x8" tyres	€4000
FTC100	As above with: - Hydraulic Power Pack Removed For use with Compact Tractors - Long reach hoses	€3700
	AVAILABLE OPTIONS	
+LK	Lighting Kit (Not for highway use)	+€250
+WR	Wireless Remote Kit	+€210
COMMODITY CODE: 8430690000		

### ST150 OFF ROAD TRAILER



MODEL	DESCRIPTION	RETAIL
ST150	Standard Specification: - 1.53m x 1.02m (5' x 3'3") internal dimensions - Solid folded steel sides with laser cut perforations - Ramp tailgate with integral door - 22x11x8" Tyres - Swivel Drawbar - Aluminium Tread-plate Floor	€1520
AVAILABLE OPTIONS		
+MG	Mudguards (Standard Wheels Only)	+€160
+LP	Lamb Partition	+€90
+OT	25x13x9" Oversize tyres	+€240
COMMODITY CODE: 8430690000		



MODEL	DESCRIPTION	RETAIL
LT150	Standard Specification: - L 1.54m x W 1.02m x H 0.47m (5' x 3'3") internal dimensions - Solid folded steel sides - Drop Tailgate - 22x11x8" Tyres - Swivel Drawbar - Fully Galvanised - Aluminium Tread-plate Floor	€1420
AVAILABLE OPTIONS		
+MG	Mudguards (Standard Wheels Only)	+€160
+RT	Ramp Tailgate	+€90
+OT	25x13x9" Oversize tyres	+€240
COMMODITY CODE: 8430690000		

NB: Recommended minimum quantity of 2 units - additional delivery surcharge may apply to single unit orders.

#### HT100 UTILITY TRAILER



MODEL	DESCRIPTION	RETAIL		
HT100	Standard Specification: - Twin Pivoting Axle - Powder Coated NATO Green - 18mm Class 3 Phenolic Resin Flooring - Drop Down & Removable Tail Gate - 1.5m (5') Max Bale Diameter - 850kg MAM Weight - Swivel Hitch - Heavy Duty Build	€2600		
AVAILABLE OPTIONS				
+WI	Winch	+€300		
+LK	Lighting Kit (Not for highway use)	+€250		
COMMODITY CODE: 8433300000				

## BT500 BALE TRANSPORTER

MODEL	DESCRIPTION	RETAIL	
BT500	Standard Specification: - Twin Pivoting Axle - Electric Winch - Wireless Remote - 1.5m (5') Max Bale Diameter - 900kg Max Bale Weight - Galvanised - Foot operated release	€2800	
AVAILABLE OPTIONS			
+OB	On board battery option for conversion into self powered machine.	+€300	
COMMODITY CODE: 8433300000			

#### **PARTS**



Need a spare part? We can supply spare parts for all Chapman machines, many available from stock ready for immediate dispatch. You can find the required part number on the product parts drawing in the relevant product download section of our website www.chapman.co.uk.

You can order spare parts direct from www.chapman.co.uk/spares or via your local distributor. Alternatively, you can contact us direct on the details below during office hours of 8-5pm Mon-Thurs, 8-3.45pm Friday

**E:** sales@chapman.co.uk **T:** 01288 308 149

#### **PRICES**

All prices are exclusive of applicable taxes / VAT. Whilst we will endeavour to hold these prices, we reserve the right to change specification and pricing without prior notice in line with unforeseen movement in exchange rates, supplier component price rises, inward / outward tariffs etc. Delivery is included for machine orders within Mainland UK and Ireland, although some areas (for example Scottish Islands) may incur delivery surcharges. Risk passes upon delivery, title for goods remains with Chapman Machinery Ltd until such time as cleared payment is received in full. Trade pricing is given in accordance with our Dealer Sales Terms, and by purchasing parts or products at Trade Pricing you are agreeing to be bound by these terms. Breaches of these terms may result in your trade account being suspended. UK orders must be made in pound sterling unless agreed otherwise in writing by Chapman Machinery Ltd.

### **NOTES**



Chapman Machinery Ltd, Hele Barton, Week St. Mary, Holsworthy, Devon, UK, EX22 6XR

Tel: +44(0)1288 308149 Version V1

WWW.CHAPMAN.CO.UK

sales@chapman.co.uk