

PRICE LIST 2025

CONTENTS





WHY CHOOSE CHAPMAN?

Founded in 2010, we're one of the newer manufacturers in the machinery world. We often get asked by potential customers why we think our machinery is better than the existing providers, so here are a few reasons why we're great to deal with.



2 YEAR WARRANTY

To get to number 1 we strive to produce high quality machinery, and stand by it with an industry leading 2 year warranty



MANUFACTURED IN GREAT BRITAIN

We are certified Made In Britain members and all of our products are proudly manufactured and hand built at our base in Devon, UK.



WE INNOVATE

We proudly design each and every one of our machines to feature innovative, unique features, to give you the best user experience.

CFM COMPACT FLAIL



MODEL	DESCRIPTION	RETAIL
CFM150	Standard Specification: - 1.5m Cut - 370kg - 25-70hp Rating - 22 Hammer Flails - 0-350mm Hydraulic Offset - 25-100mm Cutting Height - Suitable for CAT 1 & 2 Hitches - 2200 RPM Rotor Speed - Triple B Belt Drive - Rear Roller Inclusive	£3400
CFM180	Standard Specification: - 1.8m Cut - 400kg - 25-70hp Rating - 28 Hammer Flails - 0-350mm Hydraulic Offset - 25-100mm Cutting Height - Suitable for CAT 1 & 2 Hitches - 2200 RPM Rotor Speed - Triple B Belt Drive - Rear Roller Inclusive	£3600
COMMODITY CODE: 8433201000		

FM120 FLAIL MOWER



MODEL	DESCRIPTION	RETAIL
FM120	Standard Specification: - 1.2m Cut - 21hp Honda V Twin - Electric Start - 22x11x8" Tyres - Steel Y Flails - Centrifugal Clutch	£4990
FM120 PRO	Upgrade to Pro Spec to include: - 25hp Honda Fuel Injected V Twin - Hardened Hammer Flails - Double Fly Weight Clutch - Oil Cooled	£6090
	AVAILABLE OPTIONS	
+BB	Breaker Bar to deflect vegetation such as reeds, rushes etc	+£120
+TA	Twin axle setup for rough terrain and reduced ground pressure	+£650
+CB	Cutter bar to increase mulching and decrease chop size	+£120
+JW	Jockey Wheel - recommended for wheels trailing	+£80
COMMODITY CODE: 8433201000		

FM150 FLAIL MOWER



MODEL	DESCRIPTION	RETAIL
FM150	Standard Specification: - 1.5m Cut - 21hp Honda V Twin - Electric Start - 22x11x8" Tyres - Steel Y Flails - Centrifugal Clutch	£5190
FM150 PRO	Upgrade to Pro Spec to include: - 25hp Honda Fuel Injected V Twin - Hardened Hammer Flails - Double Fly Weight Clutch - Oil Cooled	£6290
	AVAILABLE OPTIONS	
+BB	Breaker Bar to deflect vegetation such as reeds, rushes etc	+£120
+TA	Twin axle setup for rough terrain and reduced ground pressure	+£650
+CB	Cutter bar to increase mulching and decrease chop size	+£120
+JW	Jockey Wheel - recommended for wheels trailing	+£80
COMMODITY CODE: 8433201000		

CPC BRUSH COLLECTOR



CPC FLAIL COLLECTOR



MODEL	DESCRIPTION	RETAIL
CPC150-F	Standard Specification: - 1.5mWorking Width - 765kg Weight - 18-70hp Power Rating - Overrun clutch - 22 Hammer Flails - 1750L Hopper Capacity - High Tip Hopper (1.3m) - 15-60mm Cutting Height - Suitable for CAT 1 & 2 Hitches - 1620 RPM Rotor Speed - Triple B Belt Drive - Height Adjustable Castor Wheels - Adjustable Anti Scalping Skids - Turf Tyres 20x12-10 inch - Wide angled PTO Shaft as standard	£9450
CPC180-F	As above with following additions: - 1.8mWorking Width - 855kg - 26 Hammer Flails -2100L Hopper Capacity	£10,450
AVAILABLE OPTIONS		
+SF	Scarifier Blade Upgrade	+£POA
COMMODITY CODE: 8433201000		

RM ROTARY MOWERS



MODEL	DESCRIPTION	RETAIL
RM120	Standard Specification: - 1.2m Cut - 13hp Honda Engine - Recoil Start - Triple Rotor - 19x7x8" Tyres	£3290
RM150	Standard Specification: - 1.5m Cut - 13hp Honda Engine - Recoil Start - Triple Rotor - 19x7x8" Tyres	£3490
AVAILABLE OPTIONS		
+ES	Electric Start	+£500
COMMODITY CODE: 8433201000		

TS600 ATV STRIMMER



MODEL	DESCRIPTION	RETAIL
TS600	Standard Specification: - 735mm Cutting Width - 50-250mm Cutting Height - 13hp Honda Engine - Recoil Start - Offset draw bar - Twin 600mm Cutting Heads - Quick change nylon brush-cutter blades - 16x6x8" Tyres	£3650
	AVAILABLE OPTIONS	
+ES	Electric Start	+£500
+BL	10 x Packs of 40 Quick Change Nylon Blades	+£100
+PRO	Professional Series to include metal swing tip cutting blades	+£500
COMMODITY CODE: 8433201000		

W240 WEED WIPER



MODEL	DESCRIPTION	RETAIL
W240	Standard Specification: - 2.4m Working width - 12v Electric Drive - 60L Mounted Tank - Spot Lance - Electronic Controls - 19x7x8" Wheels - Carpet Applicator	£3000
	AVAILABLE OPTIONS	
+BR	Upgrade applicator from carpet to brush for a more precise application	+£900
+CA	Additional control box c/w mounting plate & wiring for additional vehicle	+£400
COMMODITY CODE: 8424491000		

T240 TRACTOR WIPER



MODEL	DESCRIPTION	RETAIL
T240	Standard Specification: - 2.4m Working width - 12v Electric Drive - 60L Mounted Tank - Spot Lance - Electronic Controls - 19x7x8" Wheels - Carpet Applicator - CAT 1 & 2 Linkage Compatible	£3250
	AVAILABLE OPTIONS	
+BR	Upgrade applicator from carpet to brush for a more precise application	+£900
+CA	Additional control box c/w mounting plate & wiring for additional vehicle	+£400
	COMMODITY CODE: 842449100	00

PC SERIES COLLECTOR



MODEL	DESCRIPTION	RETAIL
PC120	Standard Specification: - 1.2m working width - 6.5hp Honda Engine - Electric Start - 550L (approx) hopper - Electric hopper emptying - 19x7x8" Wheels - Adjustable front tine bar - Centrifugal clutch - 4 Rows of High Quality Brushes - Control Box	£5500
PC150	Standard Specification: - 1.5m working width - 6.5hp Honda Engine - Electric Start - 700L (approx) hopper - Electric hopper emptying - 19x7x8" Wheels - Adjustable front tine bar - Centrifugal clutch - 4 Rows of High Quality Brushes - Control Box	£5800
AVAILABLE OPTIONS		
+RT	Remote throttle for use behind a Quad Bike	+£60
COMMODITY CODE: 8433520000		

PC120E BATTERY POWERED



MODEL	DESCRIPTION	RETAIL
PC120E	Standard Specification: - 1.2m working width - eGX Electric Honda Engine - Battery Powered (PowerPack In- cluded) - Fast Charger - 550L (approx) hopper - Manual Winch - 19x7x8" Wheels - Adjustable front tine bar - 4 Rows of High Quality Brushes	£5950
PC150E	Standard Specification: - 1.5m working width - eGX Electric Honda Engine - Battery Powered (PowerPack In- cluded) - Fast Charger - 700L (approx) hopper - Manual Winch - 19x7x8" Wheels - Adjustable front tine bar - 4 Rows of High Quality Brushes	£6250
AVAILABLE OPTIONS		
+AB	Additional Battery	+£825
COMMODITY CODE: 8433520000		

AH200 ARENA HARROW

MODEL	DESCRIPTION	RETAIL
AH200	Standard Specification: - 2m Working Width - Heavy Duty Steel Frame - 19x7x8" Tyres - 40 Spring Tines - 12v Lifting Actuator - 3 position tine adjustment - Rear Consolidation Roller - 6 Front Mounted 'S' Tines	£3200
COMMODITY CODE: 8432291000		

TH200 TINE HARROW



MODEL	DESCRIPTION	RETAIL
TH200	Standard Specification: - 2m Working Width - Heavy Duty Steel Frame - 19x7x8" Tyres - 40 Spring Tines - 12v Lifting Actuator - 3 position tine adjustment	£2700
	COMMODITY CODE: 843229100	0

MG250 ARENA LEVELLER

MODEL	DESCRIPTION	RETAIL
MG250	Standard Specification: - 2.3m Working Width - Hot Dip Galvanised - 22x11x8" Tyres - 14 Spring Tines - Rear Consolidation Roller for wax and fibre stabilised surfaces	£2300
AVAILABLE OPTIONS		
+3P	3 Point Linkage Mounted Version	+£225
COMMODITY CODE: 8432291000		

FR150 FIELD ROLLER



MODEL	DESCRIPTION	RETAIL
FR150	Standard Specification: - 1.5m working width - Empty Weight: 205kg - Filled Weight: 500kg - 50mm Ball Coupling - Powder Coated Finish - Scraper Bar	£1250
AVAILABLE OPTIONS		
+PH	Additional Pin Hitch	+£50
COMMODITY CODE: 8432800000		

NB: Recommended minimum quantity of 2 units - additional delivery surcharge may apply to single unit orders.

TF350 TRAILED FEEDER



MODEL	DESCRIPTION	RETAIL
TF350	Standard Specification: - 350L Capacity (approx) - Mudguards - PVC Tonneau Cover - 22x11x8" Tyres - Electronic Counter	£2500
	AVAILABLE OPTIONS	
+OT	25x13x9" oversize tyres in place of standard 22x11x8"	+£220
+TA	Twin axle in place of standard axles, c/w mudguards	+£700
+ES	Extension sides to increase capacity by 250L (approx)	+£150
+NB	Nudge Bar to deflect livestock	+£100
+RL	Road IVA Legal Version, LED Lights, 20.5x8x10" tyres & suspension axles.	+£650
+CA	Additional Control Box incl. wiring	+£400
COMMODITY CODE: 8423892000		

All prices exclude applicable taxes. We reserve the right to change pricing in line with significant exchange rate movements or application of import / export tariffs.

MF350 MOUNTED FEEDE

ER

MODEL	DESCRIPTION	RETAIL
MF350	Standard Specification: - Designed for UTV Bed Mounting - 350L Capacity (approx) - PVC Tonneau Cover - Electronic Counter - Adjustable Discharge Chute	£2100
AVAILABLE OPTIONS		
+CA	Additional Control Box c/w wiring & mounting plates	+£400
+ES	Extension sides to increase capacity by 250L (approx) * Not suitable for UTVs - 4x4 only	+£150
COMMODITY CODE: 8423892000		

TGF350 GAME FEEDER



MODEL	DESCRIPTION	RETAIL	
TGF350	Standard Specification: - 350L Capacity (approx) - Variable spread width - Feed Shutter - Control Box - Heavy Duty, High Torque Motor - Direct Drive - Variable Vane Spinner	£3400	
	AVAILABLE OPTIONS		
+CA	Additional Control Box c/w wiring & mounting plates	+£400	
+ES	Extension sides to increase capacity by 250L (approx)	+£150	
+OT	25x13x9" oversize tyres in place of standard 22x11x8"	+£220	
+RL	Road Legal Version c/w LED Lights, 20.5x8x10" tyres, suspension axles. Fully IVA road approved.	+£650	
COMMODITY CODE: 8436809000			

All prices exclude applicable taxes. We reserve the right to change pricing in line with significant exchange rate movements or application of import / export tariffs.

MGF350 MOUNTED GAME



MODEL	DESCRIPTION	RETAIL
MGF350	Standard Specification: - 350L Capacity (approx) - Easy loading with fork lift - Variable spread width - Feed Shutter - Control Box - Heavy Duty, High Torque Motor - Direct Drive - Variable Vane Spinner - Fits all popular UTVs	£2900
	AVAILABLE OPTIONS	
+CA	Additional Control Box c/w wiring & mounting plates	+£400
+ES	Extension sides to increase capacity by 250L (approx) * Not suitable for UTVs - 4x4 only	+£150
COMMODITY CODE: 8436809000		

DT100 TIPPING TRAILER



MODEL	DESCRIPTION	RETAIL
DT100	Standard Specification: - Hydraulic Power Pack - On-board Battery with charge level indicator (supplied with charger) - Galvanised Finish - Auto Latching/Unlatching Tailgate - Max Weight (Laden) 1400kg - Volume (heaped) 1.7M^3 - Pump Capacity 4.5 L @ 160 Bar - Tipping Angle of 50° - 4 x large 22x11x8" tyres	£3500
DTC100	As above with: - Hydraulic Power Pack Removed For use with Compact Tractors - Long reach hoses	£3100
	AVAILABLE OPTIONS	
+LK	Lighting Kit (Not for highway use)	+£250
+WR	Wireless Remote Kit	+£200
+ES	Extension Side Kit To Increase Bed Height by 300mm	+£250
COMMODITY CODE: 8430690000		

All prices exclude applicable taxes. We reserve the right to change pricing in line with significant exchange rate movements or application of import / export tariffs.

FT100 FLAT BED TRAILER



MODEL	DESCRIPTION	RETAIL
FT100	Standard Specification: - Hydraulic Power Pack - On-board Battery with charge level indicator (supplied with charger) - Galvanised Finish - Drop down & Removable Tailgate & Sides - Integrated Steel Floor - Max Weight (Laden) 1400kg - Volume (heaped) 1.7M^3 - Pump Capacity 4.5 L @ 160 Bar - Tipping Angle of 50° - 4 x large 22x11x8" tyres	£3600
FTC100	As above with: - Hydraulic Power Pack Removed For use with Compact Tractors - Long reach hoses	£3200
	AVAILABLE OPTIONS	
+LK	Lighting Kit (Not for highway use)	+£250
+WR	Wireless Remote Kit	+£200
+ES	Extension Side Kit To Increase Bed Height by 300mm	+£350
COMMODITY CODE: 8430690000		

All prices exclude applicable taxes. We reserve the right to change pricing in line with significant exchange rate movements or application of import / export tariffs.

ST150 OFF ROAD TRAILER



MODEL	DESCRIPTION	RETAIL
ST150	Standard Specification: - L 1.5m x W 1.0m x H 0.9m (5' x 3'3") internal dimensions - Solid folded steel sides with laser cut perforations - Ramp tailgate with integral door - 22x11x8" Tyres - Swivel Drawbar - Aluminium Tread-plate Floor	£1150
	AVAILABLE OPTIONS	
+MG	Mudguards (Standard Wheels Only)	+£150
+LP	Lamb Partition Gate with spring latch	+£120
+OT	25x13x9" Oversize tyres	+£220
COMMODITY CODE: 8430690000		

All prices exclude applicable taxes. We reserve the right to change pricing in line with significant exchange rate movements or application of import / export tariffs.

LT150 LOW SIDED TRAILER

MODEL	DESCRIPTION	RETAIL
LT150	Standard Specification: - L 1.5m x W 1.0m x H 0.5m (5' x 3'3") internal dimensions - Solid folded steel sides - Drop Tailgate - 22x11x8" Tyres - Swivel Drawbar - Fully Galvanised - Aluminium Tread-plate Floor	£1100
	AVAILABLE OPTIONS	
+MG	Mudguards (Standard Wheels Only)	+£150
+RT	Ramp Tailgate	+£80
+OT	25x13x9" Oversize tyres	+£220
COMMODITY CODE: 8430690000		

NB: Recommended minimum quantity of 2 units - additional delivery surcharge may apply to single unit orders.

All prices exclude applicable taxes. We reserve the right to change pricing in line with significant exchange rate movements or application of import / export tariffs.

HT100 UTILITY TRAILER



MODEL	DESCRIPTION	RETAIL
НТ100	Standard Specification: - Twin Pivoting Axle - Powder Coated NATO Green - 18mm Class 3 Phenolic Resin Flooring - Drop Down & Removable Tail Gate - 850kg MAM Weight - Swivel Hitch - Heavy Duty Build	£2400
	AVAILABLE OPTIONS	
+WI	Fully enclosed, self powered winch with wireless hand remote	+£500
+LK	Lighting Kit (Not for highway use)	+£250
COMMODITY CODE: 8433300000		

All prices exclude applicable taxes. We reserve the right to change pricing in line with significant exchange rate movements or application of import / export tariffs.

BT500 BALE TRANSPORTER



MODEL	DESCRIPTION	RETAIL	
BT500	Standard Specification: - Twin Pivoting Axle - Electric Winch - Wireless Remote - 1.5m (5') Max Bale Diameter - 900kg Max Bale Weight - Galvanised - Foot operated release	£2600	
AVAILABLE OPTIONS			
+OB	On board battery option for conver- sion into self powered machine. Comes with machine mounted charge level indicator & charger.	+£300	
COMMODITY CODE: 8433300000			

PARTS



Need a spare part? We can supply spare parts for all Chapman machines, many available from stock ready for immediate dispatch. You can find the required part number on the product parts drawing in the relevant product download section of our website www.chapman.co.uk.

You can order spare parts direct from www.chapman.co.uk/spares or via your local distributor. Alternatively, you can contact us direct on the details below during office hours of 8-5pm Mon-Thurs, 8-3.45pm Friday

> E: sales@chapman.co.uk T: 01288 308 149

PRICES

All prices are exclusive of applicable taxes / VAT. Whilst we will endeavour to hold these prices, we reserve the right to change specification and pricing without prior notice in line with unforeseen movement in exchange rates, supplier component price rises, inward / outward tariffs etc. Delivery is included for machine orders within Mainland UK and Ireland, although some areas (for example Scottish Islands) may incur delivery surcharges. Risk passes upon delivery, title for goods remains with Chapman Machinery Ltd until such time as cleared payment is received in full. Trade pricing is given in accordance with our Dealer Sales Terms, and by purchasing parts or products at Trade Pricing you are agreeing to be bound by these terms. Breaches of these terms may result in your trade account being suspended. UK orders must be made in pound sterling unless agreed otherwise in writing by Chapman Machinery Ltd.



CHAPMAN

Chapman Machinery Ltd, Hele Barton, Week St. Mary, Holsworthy, Devon, UK, EX22 6XR

> Tel: +44(0)1288 308149 Version V1

WWW.CHAPMAN.CO.UK

sales@chapman.co.uk